

Certificate of Analysis

Martin House Brewing Co.

220 S Sylvania Ave. #209 Fort Worth, TX 76111 johnw@martinhousebrewing.com 817-727-9450

Sample: 12-03-2024-57906

Sample Received: 12/03/2024;

Report Created: 12/09/2024; Expires: 12/09/2025

Power House: Strawberry

Ingestible, Beverage



Complete

0.002%

Total THC

0.002%

Δ-9 THC

5.641 mg/unit **Total Cannabinoids** ND mg/unit **Total CBD**

Cannabinoids with Density

(Testing Method: HPLC, CON-P-3000) Date Tested: 12/03/2024

Analyte	LOD	LOQ	Mass	Mass	Mass	
	mg/unit	mg/unit	mg/unit	mg/g	%	
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	1.058	1.410	ND	ND	ND	
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	1.058	1.410	5.641	0.016	0.002	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	1.058	1.410	ND	ND	ND	
Δ-9-Tetrahydrocannabiphorol (Δ-9 THCP)	1.058	1.410	ND	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9 THCV)	1.058	1.410	ND	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9 THCVA)	1.058	1.410	ND	ND	ND	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	1.058	1.410	ND	ND	ND ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	1.058	1.410	ND	ND	ND	
PR-Hexahydrocannabinol (9R-HHC)	1.058	1.410	ND	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	1.058	1.410	ND	ND	ND	
Cannabidivarin (CBDV)	1.058	1.410	ND	ND	ND	
Cannabidivarinic Acid (CBDVA)	1.058	1.410	ND	ND	ND	
Cannabidiol (CBD)	1.058	1.410	ND	ND	ND	
Cannabidiolic Acid (CBDA)	1.058	1.410	ND	ND	ND	
Cannabigerol (CBG)	1.058	1.410	ND	ND	ND	
Cannabigerolic Acid (CBGA)	1.058	1.410	ND	ND	ND	
Cannabinol (CBN)	1.058	1.410	ND	ND	ND	
Cannabinolic Acid (CBNA)	1.058	1.410	ND	ND	ND	
Cannabichromene (CBC)	1.058	1.410	ND	ND	ND	
Cannabichromenic Acid (CBCA)	1.058	1.410	ND	ND	ND	
Total Control			5.641	0.016	0.002	

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.040% Total CBD Measurement of Uncertainty: ± 2.000%

Sample Density: 0.996 g ; Unit Size: 352.584 g Unit: 12oz Container



New Bloom Labs 6121 Heritage Park Drive, A500 Chattanooga, TN 37416 (844) 837-8223 TN DEA#: RN0563975 ANAB Testing Laboratory (AT-2868): ISO/IEC 17025:2017

ashlugh Phillips Ashley N. Phillips, M. Sc

Laboratory Director

Powered by reLIMSinfo@relims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs.