

Certificate of Analysis

Martin House Brewing Co.

220 S Sylvania Ave. #209 Fort Worth, TX 76111 johnw@martinhousebrewing.com 817-727-9450 Sample: 01-15-2025-59160

Sample Received:01/15/2025;

Report Created: 01/17/2025; Expires: 01/17/2026

Power House: Peach - POPE - 1

Batch:POPE-1 Ingestible, Beverage



According County (County)

0.001%

Total THC

0.001%

Δ-9 THC

4.561 mg/unitTotal Cannabinoids

ND mg/unit Total CBD

Cannabinoids with Density

(Testing Method:HPLC, CON-P-3000) Date Tested: 01/15/2025 Complete

Analyte	LOD	LOQ	Mass	Mass	Mass	
	mg/unit	mg/unit	mg/unit	mg/g	%	
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	1.052	1.403	ND	ND	ND	
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	1.052	1.403	4.561	0.013	0.001	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	1.052	1.403	ND	ND	ND	
Δ-9-Tetrahydrocannabiphorol (Δ-9 THCP)	1.052	1.403	ND	ND	ND	
Δ -9-Tetrahydrocannabivarin (Δ -9 THCV)	1.052	1.403	ND	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9 THCVA)	1.052	1.403	ND	ND	ND	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	1.052	1.403	ND	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	1.052	1.403	ND	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	1.052	1.403	ND	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	1.052	1.403	ND	ND	ND	
Cannabidivarin (CBDV)	1.052	1.403	ND	ND	ND	
Cannabidivarinic Acid (CBDVA)	1.052	1.403	ND	ND	ND	
Cannabidiol (CBD)	1.052	1.403	ND	ND	ND	
Cannabidiolic Acid (CBDA)	1.052	1.403	ND	ND	ND	
Cannabigerol (CBG)	1.052	1.403	ND	ND	ND	
Cannabigerolic Acid (CBGA)	1.052	1.403	ND	ND	ND	
Cannabinol (CBN)	1.052	1.403	ND	ND	ND	
Cannabinolic Acid (CBNA)	1.052	1.403	ND	ND	ND	
Cannabichromene (CBC)	1.052	1.403	ND	ND	ND	
Cannabichromenic Acid (CBCA)	1.052	1.403	ND	ND	ND	
Total			4.561	0.013	0.001	

Total THC = THCa * $0.877 + \Delta 9$ -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected

Total THC Measurement of Uncertainty: ± 0.040% Total CBD Measurement of Uncertainty: ± 2.000% Sample Density: 0.991 g; Unit Size: 350.814 g Unit: 12 floz container



New Bloom Labs 6121 Heritage Park Drive, A500 Chattanooga, TN 37416 (844) 837-8223 TN DEA#: RN0563975 ANAB Testing Laboratory (AT-2868): ISO/IEC 17025:2017

ashley N Phillips

Ashley N. Phillips, M. Sc Laboratory Director Powered by reLIMS info@relims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs.